

ClimaGuard®

ClimaGuard Neutral 70




Durability and efficiency for doors and specialty applications

ClimaGuard® Neutral 70 represents a new standard in durable high performance low-E glass. Designed for use in light commercial and residential applications, Neutral 70 provides the optical clarity and energy performance traditionally associated with sputter coatings. It also has handling and fabrication characteristics comparable in most respects to pyrolytic coatings. Neutral 70 is the perfect solution for doors and wear-and-tear applications, such as between-the-glass blinds.

Product Information							
Substrate							
Base Glass/Thickness	Guardian ExtraClear/4-12 mm						
Applications	Windows / Doors / Roofs						
Manufacturing options	Annealed / Heat Treated for T versions / Laminated						
Recommended Coating Positions	Surface 3 (double IGU) Surface 2&5 (triple IGU)						
Maximum Size	<3210x6000mm						
Edge Deletion	No, with conditions*						
Glass type	Single Silver Coated Glass						
Glass functions	Thermal Insulation						
Fabrication options	Must be used in Insulating Glass Units						
Appearance	Neutral						





Double Glazed

Visible light			Ultraviolet	Solar Energy							Thermal Properties		
Transmittance	Reflec	ctance	General Color Rendering Index (Ra)	General Color		Transmittance	Transmittance Reflectance Absorptance		Shading	Secondary	U-Value		
Visible (τν %)	ρν % out	ρv % in		Trans UV(τuv %)	Solar (τe %)	ρe % out	ρe % in	Solar(αe %)	Solar Factor(g%)	Coefficient (sc)	Heat Transfer (qi)	Ug W/m²∙K	
Double Glazed: 4-16-4 ClimaGuard® on Guardian ExtraClear #2, ClimaGuard Neutral 70 on Guardian ExtraClear #3, 90% Argon fill													
70.5	11.4	11.7	95.9	43.9	51.5	23.1	20.4	25.4	67.0	0.77	15.5	1.4	

The performance values shown are nominal and subject to variations due to manufacturing tolerances. Spectra-photometric values according to EN 410:2011, EN 673:2011 / Metric.



19, rue du Puits Romain L-8070 Bertrange Grande-Duchy de Luxembourg Phone: +352 27 86 32 60 e-mail: information@guardian.com

All trademarks noted are owned by, licensed to or used with permission by Guardian Glass. ©2021 Guardian Glass, LLC

Published Date: 16-Nov-2021

www.guardianglass.com

The products in this publication are sold subject to Guardian's standard terms and conditions of sale and any applicable written warranties (available at www.guardianglass.com or from your local Guardian representative upon request). It is the responsibility of the purchaser to confirm that the products are suitable for their intended application in compliance with the applicable laws and regulations. Please contact your local Guardian representative to obtain any applicable handling and fabrication guides and for the most current product information.